

ROCKO


Vinyl flooring by Kronospan

A solid step up


contents

03	characteristics
04	assortment
05	surface textures
06	overview
07	class 34 600 x 295 x 5 mm
09	class 34 1210 x 234 x 5 mm
11	class 34 1210 x 192 x 5 mm
14	class 32 1210 x 192 x 4 mm
16	skirting boards and accessories
18	marketing materials

characteristics




Water resistant flooring




Designed for floor heating




Stain proof and easy to clean



Scratch resistant



Soft touch and silent walk



Dimensionally stable



4-sided V-groove























1 clic 2go pure
fast, clean and easy



Slide resistant

assortment

range	utility class	guarantee*	water resistant	lock	groove	sound insulation	slide resistant	number of SKU's
600 x 295 x 5 mm	34	30 years						3
1210 x 234 x 5 mm	34	30 years						4
1210 x 192 x 5 mm	34	30 years						10
1210 x 192 x 4 mm	32	25 years						6
Abrasion resistance method B acc. to EN 16511. The guarantee is valid for domestic use acc. to the conditions of guarantee (detailed terms of guarantee: www.rocko-vinyl.com).								23

surface textures



overview


class 34
format 600 x 295 x 5 mm



R095 **Venato**, PT



R062 **Konstrukta**, PT




R059 **Monolith**, PT

class 34
format 1210 x 234 x 5 mm



R063 **Alkemi**, HS



R065 **Rope**, HS



R066 **Sculpta**, HS



R064 **Eboniza**, SO

class 34
format 1210 x 192 x 5 mm



R071 **Crystal Shore**, SO



R072 **Derelicta**, SO



R073 **Scandipure**, HS



R091 **Fortwood**, HS



R089 **Bluetrail**, HS



R067 **Millwood**, HS




R065 **Rope**, HS



R076 **Bourbon Cask**, SO



R090 **Castlebridge**, SO



R070 **Incando**, SO

class 32
format 1210 x 192 x 4 mm



R079 **Salt Mine**, SO



R080 **Chromawood**, SO



R078 **Airflow**, HS



R077 **Barista**, HS



R081 **Crescendo**, HS




R082 **Humidor**, SO

CLASS

34

FORMAT


600 x 295 x 5 mm



R062 Konstrukta

class: 34 | **thickness:** 5 mm | **format:** 600 x 295 mm


texture: Peetah (PT) | **lock:** 1 clic 2go pure



R095
Venato (PT)



R062
Konstrukta (PT)




R059
Monolith (PT)

CLASS

34

FORMAT

1210 x 234 x 5 mm



R064 Eboniza

class: 34 | **thickness:** 5 mm | **format:** 1210 x 234 mm

texture: Hickory Scrape (HS), Stone Oak (SO) | **lock:** 1clic 2go pure




R063
Alkemi (HS)



R065
Rope (HS)



R066
Sculpta (HS)




R064
Eboniza (SO)

CLASS

34

FORMAT

1210 x 192 x 5 mm



R069 Storm Eye

class: 34 | **thickness:** 5 mm | **format:** 1210 x 192 mm

texture: SO (Stone Oak), HS (Hickory Scrape) | **lock:** 1clic 2go pure



R071
Crystal Shore (SO)



R072
Derelicta (SO)



R073
Scandipure (HS)



R091
Fortwood (HS)



R089
Bluetrail (HS)



R067
Millwood (HS)

class: 34 | **thickness:** 5 mm | **format:** 1210 x 192 mm

texture: SO (Stone Oak), HS (Hickory Scrape) | **lock:** 1clic 2go pure




R065
Rope (HS)



R076
Bourbon Cask (SO)



R090
Castlebridge (SO)



R070
Incando (SO)

CLASS

32

FORMAT

1210 x 192 x 4 mm



R077 Barista

class: 32 | **thickness:** 4 mm | **format:** 1210 x 192 mm

texture: SO (Stone Oak), HS (Hickory Scrape) | **lock:** 1clic 2go pure



R079
Salt Mine (SO)



R080
Chromawood (SO)



R078
Airflow (HS)



R077
Barista (HS)




R081
Crescendo (HS)



R082
Humidor (SO)

skirting boards and accessories

Design skirting board K58C - 18 x 58 x 2400 mm



K58C

Mounting parts



Packing unit
Box of 30 pieces

Tap-block



Packing unit
Box of 20 pieces

**Decor matching
Design skirting board K58C**

Rocko flooring	Skirting board	Design skirting board K58C - 97345
R059	R059	•
R095	R095	•
R062	R062	•
R063	R063	•
R064	R064	•
R065	R065	•
R066	R066	•
R067	R067	•
R070	R070	•
R071	R071	•
R072	R072	•
R073	R073	•
R076	R076	•
R077	R077	•
R078	R078	•
R079	R079	•
R080	R080	•
R081	R081	•
R082	R082	•
R089	R089	•
R090	R090	•
R091	R091	•
suitable for all decors	9002 (white)	•

Underlay PUR1.0 for ROCKO Vinyl flooring by Kronospan




Item No. [Customer Code.]	Dimensions	Thickness	R Thermal Resistance	RWS Walking sound reduction	IS Impact sound re- duction	CS Load	PC Uneven floor	SD Moisture protection
98535 [EX PUR1.0_SPC]	1x10m=10m ²	1,0mm	0,01m ² K/W	13%*	11-15dB*	>530kPa	0,2mm	-

* see technical data sheet

Design floor cleaner



Design click transition profile



Item No. [Customer Code]	Dimensions	Height	Width
95112 95113	900 mm 2700 mm	4 – 7,5 mm	27 mm

Design click ramp profile



Item No. [Customer Code]	Dimensions	Height	Width
95122 95123	900 mm 2700 mm	4 – 7,5 mm	34 mm

Design click end profile



Item No. [Customer Code]	Dimensions	Height	Width
95132 95133	900 mm 2700 mm	4 – 7,5 mm	21 mm

marketing
materials

Boxes



Sample Book



Stands



Catalogue



Thank you for attention

www.rocko-vinyl.com



Kronoflooring Sp. z o.o.,
39-300 Mielec, ul. Wojska Polskiego 3,
tel. +48 17 58 22 200, fax +48 17 58 22 300,
sales.jaslo@kronospan.pl